

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/607,746	06/27/2003	Joseph A. Pantelleria	HVCC.89175	7593	
27526	7590 01/11/2006		EXAMINER		
	LL SANDERS PEPER	MAI, TRI M			
4801 Main St Suite 1000	reet		ART UNIT	PAPER NUMBER	
KANSAS CI	ΓY, MO 64112	3727			

DATE MAILED: 01/11/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

			Application	No.	Applicant(s)				
Office Action Summary			10/607,746		PANTELLERIA, JOSEPH A.				
			Examiner		Art Unit				
			Tri M. Mai		3727				
Period fo	The MAILING DATE of this commun or Reply	ication appe	ears on the o	over sheet with the c	orrespondence ad	ldress			
A SH WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE MINISTRICT IN THE MINISTRICT IS LONGER, FROM THE MINISTRICT IN T	AILING DA of 37 CFR 1.136 nunication. atutory period will will, by statute, of	TE OF THIS  6(a). In no even  Il apply and will cause the applic	S COMMUNICATION  I, however, may a reply be time  expire SIX (6) MONTHS from the strength of t	l. ely filed the mailling date of this c O (35 U.S.C. § 133).				
Status									
1)	Responsive to communication(s) file	ed on							
,—	•	2b)☐ This a		n-final.					
3)	<u>-</u>								
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.								
Dispositi	on of Claims								
4)⊠									
	4a) Of the above claim(s) <u>1-9</u> is/are withdrawn from consideration.								
5)	Claim(s) is/are allowed.								
6)⊠	Claim(s) 10-20 is/are rejected.								
7)									
8)□	Claim(s) are subject to restrict	tion and/or	election red	quirement.					
Applicati	on Papers								
9)	The specification is objected to by the	e Examiner.							
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.									
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11)	The oath or declaration is objected to	by the Exa	aminer. Not	e the attached Office	Action or form P	ΓΟ-152.			
Priority ι	ınder 35 U.S.C. § 119								
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.'</li> </ul>									
2) 🔲 Notic 3) 🔲 Infor	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (P mation Disclosure Statement(s) (PTO-1449 or r No(s)/Mail Date		;	I) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 5) Other:	ite	O-152)			

Application/Control Number: 10/607,746 Page 2

Art Unit: 3727

## **DETAILED ACTION**

1. Claims 1-9 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected invention as previously set forth.

- 2. Claims 10-13, and 16-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Meyer-Jagenberg (2719663). Meyer-Jagenberg '663 teaches a closure having a body, a disc 3, a tab 2, a locking section at 5, note the adhesive pattern A surrounding the aperture. Furthermore, note the display of evidence of having been separated at edge 4.
- 3. Claims 10, 11, 12, 16-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Meyer-Jagenberg (2847151) in view of either Barnes et al. (2896839) or Johnson (3768719). Meyer-Jagenberg '151 teaches a closure having a disc 2 having an aperture 13, a tab 8 extending across the aperture with a connecting portion 6 connecting to the disc Meyer-Jagenberg meets all claimed limitations except for the adhesive adhered to the periphery of the aperture. Either Barnes or Johnson teaches that it is known in the art to provide resalable adhesive around the aperture. It would have been obvious to one of ordinary skill in the art to provide adhesive adhered to the periphery of the aperture in Meyer-Jagenberg as taught by either Barnes or Johnson to keep the content secured.

Regarding claims 12 and 13, the adhesive material in either Barnes or Johnson, inherently would have torn fibers from either the tab or the disc. There is no difference between the adhesive as set forth in the claim and the adhesive in either Barnes or Johnson.

4. Claims 14-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over the Meyer-Jagenberg '151 rejection, as set forth above, and further in view of Schmidt (6082614). It would Application/Control Number: 10/607,746 Page 3

Art Unit: 3727

have been obvious to one of ordinary skill in the art to provide perforation in the tab in the combination of Meyer-Jagenberg to provide added security.

- 5. Claims 10-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Negoro (2926832) in view of either Barnes et al. or Johnson. Negoro teaches a closure having a disc 72 having an aperture 64 (note the aperture is formed after the opening), a tab 62 extending across the aperture with a connecting portion connecting to the disc. Negoro meets all claimed limitations except for the adhesive adhered to the periphery of the aperture. Either Barnes or Johnson teaches that it is known in the art to provide resalable adhesive around the aperture. It would have been obvious to one of ordinary skill in the art to provide adhesive adhered to the periphery of the aperture in Meyer-Jagenberg as taught by either Barnes or Johnson to keep the content secured.
- 6. Claims 10-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over the Negoro rejection as set forth above, and further in view of Kuchler (2858060). To the degree it is argued that the Negoro combination does not teach the aperture. Kuchler teaches that it is known in the art to provide an aperture as shown in Fig. 10. It would have been obvious to one of ordinary skill in the art to provide an aperture in Negoro as taught by Kuchler to provide an alternative for dispensing the contents.
- 7. Applicant's arguments filed 10/13/05 have been fully considered but they are not persuasive. With respect to the Meyer-Jagenberg rejection, applicant asserts that the cut edge 4 does not display evidence of having been separated. The examiner submits that the torn edge is the evidence of having been separated after the first separation. Furthermore, applicant asserts that Meyer-Jagenberg fails to teach the aperture. It is noted that the claim is directed to a

Application/Control Number: 10/607,746

Art Unit: 3727

container. The claim does not limit the aperture to be in the blank forming the closure of the container. The container of Meyer-Jagenberg shows an aperture in the open position as shown in Fig. 4 then the open container meets the claimed limitations. Furthermore, similar to that of applicant's invention when the aperture 16 is shown only when flap 20 is open, Meyer-Jagenberg shows an aperture in the open position as claimed. Furthermore, applicant asserts that there is no tab adhered to the disc at the periphery of the aperture. The examiner submits that the tab is adhered to the periphery of the aperture as claimed. Note the adhesive pattern shown in Fig. 1.

Page 4

8. With respect to the rejection of Meyer-Jagenberg in view of Barnes et al. or Johnson, applicant asserts that there is no teaching or suggestion of adhesive being adhered to the periphery of the aperture, the examiner submits that In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See In re Fine, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and In re Jones, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, one of ordinary skill in the art would recognize to provide adhesive around the aperture to keep the contents secured. It would have been obvious to one of ordinary skill in the art to provide adhesive adhered to the periphery of the aperture in Meyer-Jagenberg as taught by either Barnes or Johnson to keep the content secured.

Furthermore, in response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based

Art Unit: 3727

on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

With respect to the Negoro rejections, as set forth above, applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. The examiner submits that the Negoro rejections as set forth above, are proper.

9. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tri M. Mai whose telephone number is (571)272-4541. The examiner can normally be reached on 7:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Newhouse can be reached on (571)272-4544. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/607,746 Page 6

Art Unit: 3727

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tri M. Mai

Primary Examiner Art Unit 3727

1.